

**Module I****Chapter 1 : Introduction to Microcontroller****1.1 to 1-26**

1.1	Introduction	1-1	1.8.8(A)	Applications of Timer in PIC18F.....	1-12
1.2	Comparison of CISC and RISC Processors	1-1	1.8.9	Analog to Digital Convertor (ADC)	1-12
1.3	Harvard and Von Neumann Architectures	1-2	1.8.10	Analog Comparator.....	1-12
1.3.1	Harvard Architecture of PIC Microcontroller	1-2	1.8.11	Master Synchronous Serial Port (MSSP)	1-13
1.4	Features of PIC Family of Microcontrollers : Overview of PIC Microcontroller Family 12FXX, 16FXX and 18FXX	1-3	1.8.11(A)	Serial Peripheral Interface (SPI) Mode.....	1-13
1.4.1	PIC Microcontroller Features	1-3	1.8.11(B)	I ² C (Inter Integrated Circuit) Mode.....	1-13
1.5	Comparison of Features of PIC10, PIC12, PIC16, PIC18 Families	1-4	1.8.12	USART Ports	1-13
1.6	PIC18F458 Features.....	1-5	1.8.13	Interrupt and its Handling in PIC18F	1-13
1.7	Pin Diagram of PIC18F458	1-7	1.9	Oscillator Configurations.....	1-14
1.8	Architecture of PIC18F458 (Block Diagram)	1-7	1.9.1	HS, HS4, XT or LP Oscillator	1-15
1.8.1	Program Memory	1-8	1.9.2	RC Oscillator Mode.....	1-16
1.8.2	31 Level Stack	1-9	1.9.3	EC and ECIO Oscillator Modes.....	1-16
1.8.3	Data RAM	1-9	1.9.4	Instruction Cycle	1-17
1.8.4	Arithmetic and Logic Unit (ALU).....	1-9	1.10	PIC18 RESET.....	1-17
1.8.5	CPU Registers	1-9	1.10.1	Power-on Reset (POR)	1-18
1.8.5(A)	Working Register (WREG).....	1-9	1.10.2	MCLR	1-18
1.8.5(B)	Status Register	1-9	1.10.3	Power-up Timer (PWRT)	1-19
1.8.5(C)	Program Counter and PCLATH.....	1-10	1.10.4	Oscillator Start-up Timer (OST)	1-19
1.8.5(D)	Stack	1-10	1.10.5	PLL Lock Time-out.....	1-19
1.8.5(E)	INDF and FSR	1-10	1.10.6	Brown-out Reset (BOR)	1-19
1.8.6	8 × 8 Multiply Unit	1-11	1.10.7	Time-out Sequence	1-19
1.8.7	Five I/O (Ports A, B, C, D, E)	1-11	1.10.8	Reset at Supply Voltage Drop below the Permissible (Brown-out Reset).....	1-19
1.8.8	Four Timers (Timer0 to Timer3).....	1-11	1.10.9	Watchdog Timer	1-20
			1.11	Program and Data Memory Organization.....	1-20
			1.11.1	Data Memory	1-21
			1.11.1(A)	Bank Select Register (BSR).....	1-22
			1.11.1(B)	Special Function Registers (SFR).....	1-22
			1.11.2	Program Memory Organization	1-23



1.12	Pipelining	1-24
1.13	Power- Down Mode (Sleep)	1-25
1.13.1	Wake-Up from Sleep	1-26

Module II

Chapter 2 : PIC 18 Assembly Language Programming

2-1 to 2-56

2.1	Addressing Modes for PIC18 Microcontroller	2-1	2.4.3	ADDWFC.....	2-11
2.1.1	Register Direct	2-1	2.4.4	DAW	2-11
2.1.2	Immediate Mode	2-2	2.4.5	SUBLW.....	2-11
2.1.3	Inherent Mode.....	2-2	2.4.6	SUBWF	2-12
2.1.4	Indirect Mode	2-2	2.4.7	SUBWFB	2-13
2.1.5	Bit-Direct Addressing Mode	2-4	2.4.8	SUBFWB	2-13
2.2	Instruction Set.....	2-4	2.4.9	INCF	2-14
2.3	Data Transfer Instructions.....	2-7	2.4.10	INCFSZ.....	2-14
2.3.1	MOVF or MOVE MOVF f,d,a.....	2-7	2.4.11	INCFSNZ.....	2-14
2.3.2	MOVFF	2-7	2.4.12	DECF.....	2-15
2.3.3	MOVLB.....	2-8	2.4.13	DECFSZ	2-15
2.3.4	MOVLW K.....	2-8	2.4.14	DECFSNZ.....	2-15
2.3.5	MOVWF.....	2-8	2.4.15	MULLW	2-16
2.3.6	SWAPF.....	2-8	2.4.16	MULWF	2-16
2.3.7	LFSR	2-9	2.5	Logical Instructions	2-17
2.3.8	PUSH.....	2-9	2.5.1	ANDLW	2-17
2.3.9	POP.....	2-9	2.5.2	ANDWF	2-17
2.3.10	CLRF	2-10	2.5.3	IORLW.....	2-17
2.3.11	SETF	2-10	2.5.4	IORWF	2-17
2.4	Arithmetic Instructions	2-10	2.5.5	XORLW	2-18
2.4.1	ADDLW	2-10	2.5.6	XORWF	2-18
2.4.2	ADDWF	2-10	2.5.7	COMF	2-18
			2.5.8	NEGF	2-18
			2.5.9	CPFSEQ.....	2-19
			2.5.10	CPFSGT	2-19
			2.5.11	CPFSLT.....	2-19
			2.5.12	TSTFSZ.....	2-20
			2.6	Rotate Instructions.....	2-20



2.6.1	RLCF	2-20	2.9.7	TBLWT*–	2-29
2.6.2	RLNCF	2-21	2.9.8	TBLWT+*	2-30
2.6.3	RRCF	2-21	2.10	Machine Control Instructions	2-30
2.6.4	RRNCF	2-21	2.10.1	CLRWDT	2-30
2.7	Branch Instructions	2-21	2.10.2	NOP	2-31
2.7.1	BC	2-22	2.10.3	SLEEP	2-31
2.7.2	BN	2-22	2.10.4	RESET	2-31
2.7.3	BNC	2-22	2.11	Bit Addressable Instructions	2-31
2.7.4	BNN	2-22	2.11.1	BCF	2-31
2.7.5	BNOV	2-23	2.11.2	BSF	2-32
2.7.6	BNZ	2-23	2.11.3	BTFSC	2-32
2.7.7	BOV	2-23	2.11.4	BTFSS	2-32
2.7.8	BRA	2-24	2.11.5	BTG	2-33
2.7.9	GOTO	2-24	2.12	Assembly Language Programs	2-33
2.7.10	BZ	2-24	2.13	Development Tools for PIC Microcontrollers	2-34
2.8	CALL and RETURN Instructions	2-24	2.14	MPLAB Integrated Development Environment Software	2-34
2.8.1	CALL	2-24	2.14.1	Assembler (MPASM)	2-34
2.8.2	RCALL	2-25	2.14.2	Software Simulator (MPLAB-SIM)	2-35
2.8.3	RETURN	2-25	2.14.3	C Compiler (MPLAB-C)	2-35
2.8.4	RETFIE	2-25	2.15	Introduction to Assembly Language Programming and its Structure	2-35
2.8.5	RETLW	2-26	2.15.1	Assembly Language Program Structure	2-35
2.9	Table Read/Write Instructions	2-26	2.16	Assembler Directives	2-36
2.9.1	TBLRD*	2-26	2.17	Writing Simple Programs	2-38
2.9.2	TBLRD+*	2-27	2.18	Writing Programs to Perform Arithmetic Computations	2-40
2.9.3	TBLRD*–	2-27	2.18.1	Perform Addition Operations	2-41
2.9.4	TBLRD+*	2-28	2.18.2	Perform Subtraction Operations	2-43
2.9.5	TBLWT*	2-28			
2.9.6	TBLWT+*	2-29			



2.18.3	Binary Coded Decimal (BCD) Addition.....	2-45
2.18.4	Multiplication.....	2-46
2.19	Program Loops.....	2-49
2.19.1	Changing the Program Counter.....	2-49
2.20	Reading and Writing Data in Program Memory.....	2-51
2.21	Using Program Loop to Create Time Delays.....	2-53
2.22	Rotate Instructions based Programs.....	2-55

Module V

Chapter 3 : PIC Programming in C 3-1 to 3-18

3.1	Embedded C Concepts.....	3-1
3.1.1	Comparison between Object Oriented and Procedural Language.....	3-1
3.1.2	Advantages of High Level based Embedded Software Development.....	3-2
3.2	Programming in Embedded C (From Embedded System and Real-time Perspective).....	3-2
3.2.1	Use of Modifiers.....	3-2
3.2.2	Interrupt Service Routines (ISR).....	3-3
3.2.3	Macros.....	3-4
3.2.4(A)	Character Set of C.....	3-4
3.2.4(B)	Keywords.....	3-4
3.2.4(C)	Identifiers.....	3-5
3.2.4(D)	Scalar Data Types in C.....	3-5
3.2.4(E)	Constants and Variables.....	3-6
3.3	Operators.....	3-6
3.3.1	Unary Operators.....	3-7
3.3.2	Binary Operators.....	3-8
3.3.3	Ternary Operators.....	3-10
3.3.4	Assignment Operators and Statements.....	3-10
3.3.5	Selection Operators.....	3-11

3.3.6	Decision Making and Branching Statement.....	3-11
3.3.6(A)	if-else Selective Statement.....	3-11
3.3.6(B)	Switch-case Statement.....	3-12
3.3.7	Looping Statements.....	3-12
3.4	C- Control Structures for Iteration.....	3-13
3.4.1	for Loop.....	3-13
3.4.1(A)	while and do-while loops.....	3-13
3.4.2	Arrays and Pointers.....	3-15
3.4.3	Function in C.....	3-16

Module IV and V

Chapter 4 : Parallel Ports Programming 4-1 to 4-7

4.1	I/O Port Programming.....	4-1
4.1.1	I/O Addressing.....	4-1
4.2	Port A.....	4-1
4.3	Port B.....	4-2
4.4	Port C.....	4-3
4.5	Port D.....	4-4
4.6	Port E.....	4-5
4.7	Simple Programs for I/O Ports.....	4-5

Module III and V

Chapter 5 : Timers and Counter Programming 5-1 to 5-33

5.1	Timers / Counters.....	5-1
5.2	Prescaling of PIC Timers.....	5-1
5.3	Timer 0.....	5-1
5.3.1	Timer 0 Block Diagram.....	5-1
5.3.2	Timer 0 Registers.....	5-3
5.4	Timer 1.....	5-4



5.4.1	Timer 1 Block Diagram	5-4
5.4.2	Timer 1 Registers	5-6
5.4.3	Timer 1 Control Register (T1CON).....	5-6
5.5	Timer 2	5-7
5.5.1	Timer 2 Block Diagram	5-7
5.5.2	Timer2 Registers and TMR2IF Flag	5-8
5.5.3	Timer 2 Control Register (T2CON).....	5-8
5.6	Timer 3	5-9
5.6.1	Timer 3 Block Diagram	5-9
5.6.2	Timer 3 Control Register (T3CON).....	5-10
5.7	Programming the PIC18 Timers.....	5-11

Module III and VI

Chapter 6 : CCP Programming 6-1 to 6-15

6.1	CCP Module in PIC18 Microcontroller.....	6-1
6.2	Timers Required for CCP Applications.....	6-1
6.3	CCP Registers	6-1
6.3.1	CCP1CON Control Register.....	6-1
6.4	Generating of Waveform using Compare Mode of CCP Module.....	6-2
6.4.1	Programming the CCP Module in Compare Mode	6-3
6.5	Capture Mode	6-4
6.6	PWM Mode.....	6-7
6.6.1	Period of PWM	6-8
6.6.2	Duty Cycle of PWM.....	6-8
6.6.3	Steps for Programming the CCP Module for PWM Generation	6-9
6.7	Speed Control of DC Motor using PWM Mode of CCP Module.....	6-12
6.7.1	Interfacing DC Motor using L293 H-Bridge and Opto-isolator	6-12

Module III and V

Chapter 7 : Interrupt Programming 7-1 to 7-14

7.1	Interrupts Vs Polling.....	7-1
7.2	Interrupt Service Routine (ISR)	7-1
7.3	Steps in Executing an Interrupt	7-2
7.4	PIC18 Interrupt Structure	7-3
7.4.1	Timer Flag Interrupts	7-3
7.4.1(A)	PIR Registers	7-3
7.4.1(B)	Interrupt Control Register.....	7-3
7.5	PIC18 Interrupt Programming in C Using C18 Compiler.....	7-5
7.5.1	Difference between the RETURN and RETFIE	7-6
7.6	Hardware Interrupts	7-12
7.7	Serial Port Interrupts.....	7-13
7.8	Setting the Interrupt Priority	7-13
7.9	Interrupt inside an Interrupt / Nested Interrupt.....	7-14

Module IV and V

Chapter 8 : Serial Port Programming 8-1 to 8-22

8.1	Introduction to Serial Communication	8-1
8.1.1	Parallel vs Serial Interface	8-1
8.1.2	Types of Communication Systems.....	8-1
8.1.3	Baud Rate.....	8-2
8.2	RS 232 Standard Signals used in RS 232.....	8-2
8.3	PIC18 Connection to RS232	8-3
8.4	Interfacing Serial Port and USART.....	8-3
8.4.1	SPBRG Register.....	8-3
8.4.2	Sampling.....	8-3
8.4.3	RCSTA (Receive Status and Control Register)	8-5



<p>8.5 USART Asynchronous Mode 8-6</p> <p>8.6 USART Asynchronous Transmitter 8-7</p> <p>8.6.1 Setting up Asynchronous Transmission 8-8</p> <p>8.7 USART Asynchronous Receiver 8-9</p> <p>8.7.1 Setting up Asynchronous Reception without Address Detect Mode 8-9</p> <p>8.7.2 Setting up Asynchronous Reception with Address Detect 8-10</p> <p>8.8 Programming the PIC18 to Transfer Data Serially .. 8-10</p> <p>8.9 Programming the PIC18 to Receive Data Serially... 8-11</p> <p>8.10 SPI (Serial Peripheral Interface)..... 8-11</p> <p>8.10.1 PIC18F SPI Bus..... 8-12</p> <p>8.10.2 Registers 8-13</p> <p>8.11 I²C Bus 8-15</p> <p>8.12 I²C Mode 8-15</p> <p>8.12.1 Registers 8-16</p> <p>8.12.2 Operation 8-18</p> <p>8.12.3 Slave Mode 8-18</p> <p>8.12.3(A) Addressing 8-19</p> <p>8.12.3(B) Reception 8-19</p> <p>8.12.3(C) Transmission 8-20</p> <p>8.12.4 Master Mode 8-20</p> <p>8.12.5 Baud Rate Generator 8-21</p> <p>8.13 Comparison of SPI and I²C 8-22</p>	<p>9.2.1 Non-matrix Type Keyboard 9-2</p> <p>9.2.2 Matrix Keyboard Interface 9-2</p> <p>9.3 Interfacing of Switches 9-6</p> <p>9.4 Display 9-7</p> <p>9.4.1 LED Displays 9-7</p> <p>9.4.2 Seven Segment Display (SSD) 9-14</p> <p>9.5 Interfacing of PIC18F458 8 bit Model LCD (16 × 2)..... 9-17</p> <p>9.5.1 Initialization of LCD 9-19</p> <p>9.5.2 Interfacing LCD Module with PIC18F458 9-19</p> <p>9.6 Interfacing Relays 9-34</p> <p>9.7 Interfacing DAC 9-34</p> <p>9.7.1 Features of DAC 0808 9-34</p> <p>9.7.2 Pin Configuration and Functional Block Diagram 9-34</p> <p>9.7.3 Interfacing DAC with PIC18F458 9-36</p> <p>9.7.4 Programming PIC to Interface with DAC0808 9-37</p> <p>9.8 PIC18F458 ADC 9-41</p> <p>9.8.1 ADCON0 Register..... 9-41</p> <p>9.8.2 ADCON1 Register..... 9-42</p> <p>9.8.3 A/D Conversion Time..... 9-43</p> <p>9.8.4 Steps for programming ADC 9-44</p> <p>9.9 A/D Acquisition Requirements 9-45</p> <p>9.10 Selecting the A/D Conversion Clock..... 9-46</p> <p>9.11 Configuring Analog Port Pins 9-46</p> <p>9.12 Use of the ECCP Trigger 9-47</p> <p>9.12.1 A/D Result Registers 9-48</p> <p>9.12.2 A/D Programming using interrupts 9-50</p> <p>9.13 Temperature Sensor LM35 9-52</p> <p>9.14 Stepper Motor 9-59</p> <p>9.14.1 Step Angle 9-60</p> <p>9.14.2 18F458 Interfacing to Stepper Motor..... 9-60</p>
--	--

Module III and VI

Chapter 9 : Microcontroller Applications and ADC

Module	9-1 to 9-61
9.1 Keyboard 9-1	
9.1.1 Key Switch Mechanism 9-1	
9.1.2 Hardware Key Debouncing 9-1	
9.1.3 Software Key Debouncing 9-1	
9.2 Keyboard Interface Circuit..... 9-2	

➤ **Appendix - A : Solved University Question Paper Dec. 2019** A-1 to A-2

