

**UNIT I****Chapter 1 : Work Study (Method Study and Work Measurement)**

1-1 to 1-46

Syllabus :

- 1.1 **Industrial Engineering** : Definition, Need, Objectives and Scope.
- 1.2 **Work study** : Method study (Motion Study) and Time study (Work Measurement).
- 1.3 **Method study** : Definition, Objectives, Procedure, Selection of work.
- 1.4 **Recording Techniques** : Process Charts - Outline process chart, Flow process chart, Two handed process chart/Simo Chart, Multiple activity chart, Flow diagram, String diagram, Therbligs, Travel chart.
- 1.5 **Work Measurement** : Objectives, Procedure, Time Study, Time Study Equipment. Stopwatch Time Study, Allowances, Calculation of Standard Time.

| | | |
|---------|---|------|
| 1.1 | Introduction..... | 1-1 |
| 1.1.1 | Definition | 1-1 |
| 1.1.2 | Need..... | 1-1 |
| 1.1.3 | Objectives and Scope..... | 1-1 |
| 1.1 | Industrial Engineering | 1-1 |
| 1.2 | Work Study - Method Study (Motion Study) and Time Study (Work Measurement)..... | 1-2 |
| 1.3 | Method Study | 1-2 |
| 1.3.1 | Objectives of Method Study | 1-3 |
| 1.3.2 | Method Study Procedure | 1-3 |
| 1.3.3 | Selection of Work for Method Study | 1-4 |
| 1.4 | Recording Techniques..... | 1-5 |
| 1.4.1 | Process Chart..... | 1-5 |
| 1.4.2 | Two Handed Process Chart | 1-12 |
| 1.4.3 | Models and Diagrams..... | 1-17 |
| 1.4.4 | Micro Motion Study | 1-20 |
| 1.4.4.1 | Steps | 1-21 |
| 1.4.4.2 | Therbligs..... | 1-21 |
| 1.4.4.3 | Critical Examination | 1-22 |
| 1.4.5 | Principles of Motion Economy..... | 1-23 |
| 1.4.6 | Workplace Layout | 1-24 |
| 1.5 | Work Measurement | 1-25 |
| 1.5.1 | Introduction..... | 1-25 |
| 1.5.2 | Objectives..... | 1-25 |
| 1.5.3 | Basic Procedure for Work Measurement..... | 1-25 |
| 1.5.4 | Time Study | 1-27 |
| 1.5.5 | Time Study Equipments..... | 1-28 |
| 1.5.6 | Applications of Time Study..... | 1-32 |
| 1.5.7 | Standard Time | 1-32 |
| 1.5.8 | Calculation of Standard Time..... | 1-33 |
| 1.5.9 | Allowances | 1-34 |
| 1.6 | Solved Examples..... | 1-35 |
| 1.7 | MSBTE Questions and Answers | 1-44 |

**UNIT II****Chapter 2 : Process Engineering**

2-1 to 2-26

Syllabus :

- 2.1 Production :** Concept, Factors of production, Supply Chain Management.
- 2.2 Process Engineering :** Functions, Preliminary part print analysis, Selecting and planning manufacturing process; Determining manufacturing sequence.
- 2.3 Line Balancing :** Heuristic approach of line balancing.
- 2.4 Critical Path Method (CPM) and its application related to Project completion.**

| | | |
|---------|--|------|
| 2.1 | Production | 2-1 |
| 2.1.1 | Concept..... | 2-1 |
| 2.1.2 | Factors of Production..... | 2-2 |
| 2.1.3 | Supply Chain Management..... | 2-3 |
| 2.2 | Process Engineering..... | 2-4 |
| 2.2.1 | Functions | 2-5 |
| 2.2.2 | Preliminary Part Print Analysis..... | 2-6 |
| 2.2.3 | Factors Affecting Process Planning | 2-6 |
| 2.2.4 | Selecting and Planning Manufacturing Process | 2-8 |
| 2.2.5 | Determining Manufacturing Sequence | 2-8 |
| 2.2.6 | Operation Sheet..... | 2-10 |
| 2.2.6.1 | Operation Sheet to Produce A Hexagonal Nut..... | 2-12 |
| 2.2.6.2 | Examples on Operation Sheet | 2-12 |
| 2.2.7 | Combined Operations..... | 2-14 |
| 2.3 | Line Balancing - Heuristic Approach of Line Balancing | 2-16 |
| 2.4 | Critical Path Method (CPM) and its Application Related to Project Completion | 2-17 |
| 2.4.1 | Objectives of CPM and PERT | 2-17 |
| 2.4.2 | Terms used in CPM and PERT | 2-17 |
| 2.4.3 | Rules for Network Construction..... | 2-19 |
| 2.5 | Solved Examples | 2-19 |
| 2.6 | MSBTE Questions and Answers | 2-23 |

UNIT III**Chapter 3 : Ergonomics**

3-1 to 3-14

Syllabus :

- 3.1 Ergonomics :** Concept, Need, Man-machine relationship, Anthropometric and functional anatomy data.
- 3.2 Ergonomic in design of control members :** Push button, Knob, Levers, Cranks, Hand wheel.
- 3.3** Ergonomic considerations applied to types and Location of display.
- 3.4** Compatibility in the design of control members.

| | | |
|-------|--------------------------|-----|
| 3.1 | Definition | 3-1 |
| 3.1.1 | Concept..... | 3-1 |
| 3.1.2 | Need of Ergonomics | 3-2 |
| 3.1.3 | Goals of Ergonomics..... | 3-2 |



| | | |
|---------|--|------|
| 3.1.4 | Ergonomic Considerations | 3-3 |
| 3.1.5 | Components of Ergonomics | 3-3 |
| 3.1.6 | Man-machine System (Human Machine System)..... | 3-4 |
| 3.1.7 | Anthropometry | 3-5 |
| 3.1.7.1 | Types of Anthropometry..... | 3-5 |
| 3.1.7.2 | Principles in the Application of Anthropometric Data | 3-6 |
| 3.1.7.3 | Steps to Apply Anthropometric Data | 3-7 |
| 3.2 | Design of Controls | 3-7 |
| 3.3 | Design of Displays | 3-9 |
| 3.3.1 | Types of displays | 3-9 |
| 3.4 | Compatibility in the Design of Control Members..... | 3-12 |

UNIT IV**Chapter 4 : Quality Control and Inspection**

4-1 to 4-53

Syllabus :

| | |
|-----|--|
| 4.1 | Meaning of quality of produce and services, Quality characteristics, Quality of design, Quality of conformance, Quality of performance, Concept of reliability, Cost, Quality assurance, Cost of rework and repair, Quality and Inspection, Quality Circle. |
| 4.2 | Total Quality Management; Six sigma : Statistical meaning and methodology, Six sigma Black Belt concept. |
| 4.3 | KAIZEN, POKA-YOKE, 5S Techniques. |
| 4.4 | Introduction of ISO 9000, ISO-14000. |
| 4.5 | Quality Economics : Cost of quality, Value of quality, Economics of quality confirmation, Cost of quality appraisal, prevention, external and internal failure cost. Quality function deployment : Basic concept and areas of application. |
| 4.6 | Various Q-C tools : Cause-and-effect diagram (Fishbone or Ishikawa diagram),Check sheet, Histogram, Pareto chart and Scatter diagram. |
| 4.7 | Inspection Definition and meaning, Difference between Inspection and quality control, Classification of Inspection - (i) Process Inspection (ii) Final Inspection (iii) Raw Material (finished/semi-finished) Inspection (iv) Tool and Gauge Inspection. Role of Quality Control Inspector/Supervisor. |

| | | |
|----------|---|-----|
| 4.1 | Introduction | 4-1 |
| 4.1.1 | Definitions | 4-1 |
| 4.1.2 | Meaning of Quality of Produce and Services..... | 4-1 |
| 4.1.3 | Quality Specifications..... | 4-2 |
| 4.1.4 | Quality Characteristics | 4-3 |
| 4.1.5 | Quality Control | 4-3 |
| 4.1.6 | Quality of Design | 4-4 |
| 4.1.7 | Quality of Conformance | 4-4 |
| 4.1.7.1 | Cost of Quality of Conformance | 4-4 |
| 4.1.8 | Quality of Performance | 4-5 |
| 4.1.9 | Concept of Reliability | 4-5 |
| 4.1.10 | Quality Assurance..... | 4-6 |
| 4.1.11 | Cost of Rework and Repair | 4-7 |
| 4.1.12 | Quality Circle | 4-8 |
| 4.1.12.1 | Working of Quality Circle / Operation | 4-8 |
| 4.1.12.2 | Characteristics of Quality Circle | 4-9 |



| | | |
|----------|---|------|
| 4.1.12.3 | Objectives of Quality Circle | 4-9 |
| 4.1.12.4 | Advantages of Quality Circle..... | 4-10 |
| 4.1.12.5 | Limitations of Quality Circle..... | 4-10 |
| 4.1.12.6 | Basic Problem Solving Techniques..... | 4-10 |
| 4.1.12.7 | Failure of Quality Circle..... | 4-11 |
| 4.1.13 | Quality Mindness | 4-11 |
| 4.1.14 | Quality Audit | 4-12 |
| 4.1.15 | Vendor Quality Rating (VQR)..... | 4-14 |
| 4.1.16 | Vendor Rating (VR) | 4-15 |
| 4.2 | Total Quality Management (TQM)..... | 4-15 |
| 4.2.1 | Concept of TQM | 4-15 |
| 4.2.2 | Objectives of TQM | 4-16 |
| 4.2.3 | Principles of TQM | 4-17 |
| 4.2.4 | Importance of TQM..... | 4-18 |
| 4.2.5 | TQM Implementation / PDCA..... | 4-19 |
| 4.2.6 | Advantages of TQM..... | 4-19 |
| 4.2.7 | Six Sigma | 4-20 |
| 4.2.7.1 | Definition, Meaning and Principle..... | 4-20 |
| 4.2.7.2 | Significance | 4-20 |
| 4.2.7.3 | Statistical Meaning of 6σ | 4-21 |
| 4.2.7.4 | Advantages of 6σ Process | 4-22 |
| 4.2.7.5 | Implementation of 6σ | 4-22 |
| 4.2.7.6 | Belts used in Six Sigma | 4-23 |
| 4.3 | TQM Tools..... | 4-24 |
| 4.3.1 | Concept of Kaizen | 4-24 |
| 4.3.2 | Concept of Poka-yoke..... | 4-26 |
| 4.3.3 | 5-S Concept..... | 4-27 |
| 4.4 | ISO 9000 | 4-29 |
| 4.4.1 | Introduction..... | 4-29 |
| 4.4.2 | ISO 9001 : 2008..... | 4-29 |
| 4.4.3 | Stepwise Procedure to Implement ISO 9000..... | 4-30 |
| 4.4.4 | Eight Quality Management Principles of ISO..... | 4-31 |
| 4.4.5 | ISO 14000 | 4-32 |
| 4.5 | Cost..... | 4-33 |
| 4.5.1 | Concept of Quality Cost | 4-33 |
| 4.5.2 | Value of Quality | 4-35 |
| 4.5.3 | Quality Function Deployments (QFD)..... | 4-36 |
| 4.6 | SQC Tools..... | 4-38 |
| 4.6.1 | Frequency Histogram – SQC Tool | 4-39 |
| 4.6.2 | Bar Chart – SQC Tool..... | 4-39 |
| 4.6.3 | Cumulative Frequency Distribution (Ogive) – SQC Tool..... | 4-40 |
| 4.6.4 | Cause and Effect Diagram – SQC Tool..... | 4-41 |
| 4.6.5 | Check Sheet – SQC Tool..... | 4-42 |
| 4.6.6 | Pareto Analysis – SQC Tool | 4-42 |



| | | |
|-------|--|------|
| 4.6.7 | Scatter Diagram – SQC Tool | 4-43 |
| 4.7 | Quality and Inspection | 4-45 |
| 4.7.1 | Types of Inspection..... | 4-45 |
| 4.7.2 | Role of Quality Control Inspector/Supervisor..... | 4-46 |
| 4.7.3 | Comparison between Inspection and Quality Control..... | 4-47 |
| 4.7.4 | Comparison between In Process Inspection and Centralised Inspection..... | 4-48 |
| 4.7.5 | Comparison between Attribute Inspection and Variables Inspection..... | 4-48 |
| 4.8 | MSBTE Questions and Answers | 4-51 |

UNIT V**Chapter 5 : Statistical Quality Control****5-1 to 5-76****Syllabus :**

| | |
|-----|--|
| 5.1 | Basics of Statistical concepts, Meaning and importance of SQC. |
| 5.2 | Variable and attribute Measurement. Control charts - Inherent and assignable sources of variation. Control charts for variables - \bar{X} and R charts, Control charts for attributes P, np, C charts. |
| 5.3 | Process capability of machine ($\pm 3\sigma$ or $\pm 6\sigma$), C_p and C_{pk} calculations. |
| 5.4 | Acceptance Sampling Concept, Comparison with 100% inspection, Operating characteristics curve. |
| 5.5 | Different types of sampling plans, Sampling methods. |
| 5.6 | Merits and demerits of acceptance sampling. |

| | | |
|---------|---|------|
| 5.1 | Statistical Quality Control (SQC)..... | 5-1 |
| 5.1.1 | Advantages of SQC | 5-1 |
| 5.1.2 | Assignable Causes and Chance Causes | 5-2 |
| 5.1.3 | Comparison between Chance Causes and Assignable Causes | 5-2 |
| 5.2 | Variable and Attribute Measurement..... | 5-2 |
| 5.2.1 | Types of Data | 5-3 |
| 5.2.2 | Central Tendency | 5-3 |
| 5.2.3 | Dispersion..... | 5-4 |
| 5.2.4 | Universe | 5-5 |
| 5.3 | Normal Distribution Curve..... | 5-5 |
| 5.3.1 | Normal Distribution Curve-sketch..... | 5-5 |
| 5.3.2 | Significance of ND Curve..... | 5-6 |
| 5.3.3 | Characteristics of ND Curve..... | 5-6 |
| 5.3.4 | Skewed ND and Use of ND Curve | 5-6 |
| 5.4 | Control Charts | 5-7 |
| 5.4.1 | Introduction..... | 5-7 |
| 5.4.2 | Classification | 5-7 |
| 5.4.3 | Examples of Charts | 5-8 |
| 5.4.3.1 | \bar{X} -R Chart | 5-8 |
| 5.4.3.2 | P and np Chart..... | 5-11 |
| 5.4.3.3 | U-chart and C-chart | 5-13 |
| 5.4.4 | Trends of Control Charts..... | 5-14 |
| 5.4.5 | Comparison between Control Chart for Attribute and Control Chart for Variable | 5-16 |
| 5.4.6 | Comparison between P and C-chart | 5-17 |
| 5.4.7 | Comparison between Attribute and Variable Inspection | 5-17 |
| 5.4.8 | Comparison between Defect and Defective | 5-18 |
| 5.5 | Solved Examples | 5-18 |



| | | |
|--------|---|------------|
| 5.6 | Process Capability of a Machine | 5-60 |
| 5.6.1 | Definition | 5-60 |
| 5.6.2 | Method to Find Process Capability..... | 5-60 |
| 5.6.3 | Different Possibilities of Process Capability..... | 5-60 |
| 5.6.4 | C_p and C_{pk} : Meaning and Calculations | 5-61 |
| 5.7 | Acceptance Sampling | 5-62 |
| 5.7.1 | Concept | 5-62 |
| 5.7.2 | Need of Sampling | 5-62 |
| 5.7.3 | Single Sampling Plan..... | 5-63 |
| 5.7.4 | Double Sampling Plan | 5-63 |
| 5.7.5 | Multiple Sampling Plan | 5-64 |
| 5.7.6 | Merits and Demerits of Sampling over 100% Inspection | 5-65 |
| 5.7.7 | Sampling Methods | 5-65 |
| 5.7.8 | Comparison between Acceptance Sampling and 100% Inspection | 5-66 |
| 5.7.9 | Comparison between Single and Double Sampling Plan..... | 5-66 |
| 5.7.10 | Comparison between Single and Multiple Sampling Plan..... | 5-67 |
| 5.7.11 | Comparison between Single, Double and Multiple Sampling Plan..... | 5-67 |
| 5.8 | Operating Characteristics Curve (O. C. Curve) | 5-67 |
| 5.8.1 | Ideal OC Curve..... | 5-67 |
| 5.8.2 | Actual OC Curve..... | 5-68 |
| 5.8.3 | Risks of OC Curve | 5-69 |
| 5.8.4 | AOQL and AOQ..... | 5-70 |
| 5.9 | MSBTE Questions and Answers | 5-73 |
| • | Time Management Sheet for Writing Answers..... | T-1 |
| • | Model Question Papers..... | Q-1 to Q-4 |
