



UNIT - I

Chapter 1 : Basics of Microprocessor and 8051 Microcontroller 1-1 to 1-34

Syllabus : Microprocessor, Microcomputers and Microcontroller (Basic introduction and comparison), Types of buses, addresses, data bus and control buses, Harvard and Von-Neumann architecture, 8051 Microcontroller, architecture, Pin configuration, stack, memory organization, Boolean processor, Power Saving Option-Idle and power down mode Derivatives of 8051 (8951, 8952, 9031, 8751).

- ✓ **Syllabus Topic :** Basics of Microprocessor, Microcomputer, Microcontroller 1-1
- 1.1 Basics of Microprocessor, Microcomputer, Microcontroller 1-1
 - 1.1.1 Microprocessor (W-16) 1-1
 - 1.1.2 Microcomputer (S-16, W-16, W-17) 1-2
 - 1.1.3 Microcontroller 1-3
- ✓ **Syllabus Topic :** Comparison between Microprocessor, Microcontroller and Microcomputer 1-5
- 1.1.4 Comparison between Microprocessor, Microcontroller and Microcomputer (W-14, S-15, W-15, S-17, W-17, S-18, W-18) 1-5
- 1.1.5 Merits of Microcontroller over Microprocessor (S-16) 1-6
- ✓ **Syllabus Topic :** Types of Buses - Address Bus, Data Bus and Control Bus 1-6
- 1.2 Types of Buses (W-14, S-15, W-15, S-16, S-17, S-18) 1-6
- 1.3 Types of Architectures 1-6
- ✓ **Syllabus Topic :** Von Neumann's Architecture 1-6
- 1.3.1 Von Neumann's Architecture (S-18, W-18) 1-6
- ✓ **Syllabus Topic :** Harvard Architecture 1-7
- 1.3.2 Harvard Architecture (S-18, W-18) 1-7
- 1.3.3 Difference between Harvard and Von Neumann Architecture (W-14, S-15, W-15, W-16, S-17, W-17) ... 1-7
- ✓ **Syllabus Topic :** 8051 Microcontroller 1-8
- 1.4 8051 Microcontroller 1-8
 - 1.4.1 Features of 8051 (W-14, W-15, W-16, S-17, S-18, W-18) 1-8
- ✓ **Syllabus Topic :** Pin configuration 1-9
- 1.4.2 Pin Diagram of 8051 (S-18) 1-9
- 1.4.3 Pin Description of 8051 (W-14, S-15, W-15, S-16, W-16, S-17, W-17, S-18) 1-10
- 1.4.4(A) Oscillator Characteristics 1-11
- 1.4.4(B) Reset Circuit of 8051 Microcontroller (S-18) 1-12

- ✓ **Syllabus Topic :** Architecture of 8051 1-13
- 1.4.5 Architecture of 8051 (W-14, W-15, W-16, W-17, W-18) 1-13
- 1.4.6 8051 Registers (W-16, S-18) 1-14
- 1.4.7 Counters and Timers Registers (W-16) 1-23
- 1.4.8 Serial Communication Registers (S-16) 1-26
- 1.4.9 PCON (Power Control, Addresses 87H) 1-28
- ✓ **Syllabus Topic :** Memory Organization 1-28
- 1.4.10 Memory Organization in 8051 (W-18) 1-28
- 1.4.10(A) Program Memory 1-28
- 1.4.10(B) Data Memory (W-14, S-15, W-15, S-16, W-16, W-17) 1-29
- ✓ **Syllabus Topic :** Stack Organization 1-30
- 1.4.11 Stack in 8051 Microcontroller 1-30
- ✓ **Syllabus Topic :** Boolean Processor 1-30
- 1.5 8051 Boolean Processor (W-16, W-18) 1-30
- ✓ **Syllabus Topic :** Power Saving Options - Idle Mode and Power Down Mode 1-30
- 1.6 Power Saving Options (W-14, S-15, W-15, S-18) 1-30
- 1.6.1 Idle Mode 1-31
- 1.6.2 Power Down Mode 1-31
- 1.6.3 Difference between Power Down and Idle Mode (S-16) 1-32
- ✓ **Syllabus Topic :** Derivatives of 8051 (8951, 8952, 8031 and 8751) 1-32
- 1.7 Derivatives of 8051 (S-15, S-16) 1-32
- 1.8 Comparison between 8031, 8051 and 8751 (W-14, S-15, W-17) 1-34
- Chapter Ends 1-34

UNIT - II

Chapter 2 : 8051 Instruction Set and Programming 2-1 to 2-86

Syllabus : Addressing modes, Instruction set (Data Transfer, Logical, Arithmetic, Branching, Machine Control, Stack operation, Boolean), Assembly language programming (ALP), Software development cycle - Editor, Assembler, cross compiler, linker, loader, compiler, Assembler directives - ORG, DB, EQU, END, CODE, DATA.

- 2.1 Introduction 2-1
- ✓ **Syllabus Topic :** Addressing Modes 2-1
- 2.2 Addressing Modes of 8051 (S-15, W-15, S-17, W-17, S-18, W-18) 2-1
- 2.2.1 Immediate Addressing 2-1
- 2.2.2 Direct Addressing 2-2
- 2.2.3 Indirect Addressing (Register Indirect) 2-2
- 2.2.4 Register Addressing 2-3



2.2.5	External Direct Addressing.....	2-3	2.6.11	Smallest Number among the Block /Array Stored in External Memory (S-18).....	2-59
2.2.6	External Indirect Addressing	2-3	2.6.12	Arrange Numbers in Descending Order	2-60
2.2.7	Indexed Addressing Mode.....	2-3	2.6.13	Arrange Numbers in Ascending Order (W-15, W-18)	2-62
✓	Syllabus Topic : Instruction Set.....	2-4	2.6.14	Block Transfer in Internal Memory.....	2-63
2.3	Group of Instruction Set (S-18)	2-4	2.6.15	Count ODD Numbers in Block of N Number Stored in External RAM	2-66
✓	Syllabus Topic : Data Transfer Instructions	2-5	2.6.16	Count EVEN Numbers in Block of N Number Stored in External RAM	2-67
2.3.1	Data Transfer Instructions (W-14)	2-5	2.6.17	Count Positive Numbers in Block of N Number Stored in External RAM	2-68
✓	Syllabus Topic : Arithmetic Instructions	2-10	2.6.18	Count Negative Numbers in Block of N Number Stored in External RAM	2-69
2.3.2	Arithmetic Instructions	2-10	2.6.19	2 nd Complement of the Number	2-70
✓	Syllabus Topic : Logical Instructions	2-16	2.6.20	Addition of Two BCD Numbers.....	2-72
2.3.3	Logical Instructions (W-15, W-18).....	2-16	2.6.21	Count '0' and '1' in 8 Bit Number	2-77
✓	Syllabus Topic : Stack Instructions	2-21	2.6.22	Program to Unpacked 8 Bit Number.....	2-79
2.3.4	Stack Instructions	2-21	✓	Syllabus Topic : Software Development Cycle.....	2-80
✓	Syllabus Topic : Branching and Machine Control Instructions	2-22	2.7	Software Development Cycle (S-15, W-16, S-18, W-18)	2-80
2.3.5	Branching and Machine Control Instructions (W-18)	2-22	2.7.1	Writing Microcontroller Code	2-80
	Syllabus Topic : Boolean Instructions	2-29	2.7.2	Translating the Source Code to Machine Code.....	2-81
2.3.6	Boolean Operation Instructions (S-17).....	2-29	2.7.3	Debugging the Code.....	2-81
2.4	Program Development Steps	2-33	2.7.4	Flash Programming.....	2-82
2.4.1	Defining the Problem.....	2-33	2.8	Software Development Tools.....	2-82
2.4.2	Algorithm	2-33	✓	Syllabus Topic : Editor.....	2-82
2.4.3	Flowchart.....	2-33	2.8.1	Editor (W-14, W-15, S-16, W-16, S-17, W-17, S-18)..	2-82
2.4.4	Initialization Checklist.....	2-33	✓	Syllabus Topic : Assembler	2-83
2.4.5	Choosing Instructions.....	2-33	2.8.2	Assembler (W-14, W-15, S-16, W-16, S-17, W-17, S-18).....	2-83
2.4.6	Converting Algorithms to Assembly Language Program.....	2-33	✓	Syllabus Topic : Cross Compiler	2-83
2.5	Elements of Assembler	2-34	2.8.3	Cross Compiler (W-16, S-18)	2-83
2.5.1	Syntax of Assembly Language.....	2-34	✓	Syllabus Topic : Linker.....	2-83
2.5.2	Operators.....	2-35	2.8.4	Linker (W-14, W-15, S-16, S-17, W-17).....	2-83
2.5.3	Symbols.....	2-36	✓	Syllabus Topic : Locator	2-83
2.5.4	Labels.....	2-36	2.8.5	Locator	2-83
✓	Syllabus Topic : Assembly Language Programming (ALP)	2-37	✓	Syllabus Topic : Compiler	2-83
2.6	Assembly Language Programming	2-37	2.8.6	Compiler (W-14, W-15, S-17, W-17).....	2-83
2.6.1	Addition of Two 8 Bit Numbers.....	2-37	2.8.7	Loader(S-16).....	2-83
2.6.2	Addition of Two 16 Bit Numbers.....	2-40	2.8.8	Difference between Assembler, Cross Compiler and Compiler (S-15).....	2-84
2.6.3	Sum of Series of 8 Bit Numbers	2-42	✓	Syllabus Topic : Assembler Directives - ORG, DB, EQU, END, CODE and DATA	2-84
2.6.4	Subtraction of Two 8 Bit Numbers.....	2-46	2.9	Assembler Directives (S-15, S-16, W-16, S-17, W-17, W-18).....	2-84
2.6.5	Subtraction of Two 16 Bit Numbers.....	2-48	2.9.1	EQU Directive (W-15, S-18)	2-84
2.6.6	Multiplication of Two 8 Bit Numbers	2-49			
2.6.7	Division of Two 8 Bit Numbers	2-52			
2.6.8	Largest Among the Block /Array Stored in Internal Memory.....	2-55			
2.6.9	Smallest Number among the Block /Array Stored in Internal Memory.....	2-56			
2.6.10	Largest Number among the Block /Array Stored in External Memory (W-16)	2-58			



2.9.2 CODE Directive (W-15, S-16) 2-85
 2.9.3 DATA Directive (S-16) 2-85
 2.9.4 ORG Directive (W-15, S-16, S-18) 2-85
 2.9.5 END Directive (S-18) 2-85
 2.9.6 DB : Define Byte (W-15, S-16,S-18) 2-85
 • Chapter Ends 2-86

UNIT - III

Chapter 3 : 8051 Timers, Interrupts, Serial and Parallel Communication 3-1 to 3-43

Syllabus : Timer/Counters : SFRs : TMOD, TCON, Timer/Counter - Logic and modes. Simple programs on timer to generate time delay. Interrupts-SFRs : IE, IP, Simple programs on interrupts. Serial communication - SFRs : SCON, SBUF, PCON, Modes of serial communication. Simple programs on serial communication. I/O port structure and configuration - P0, P1, P2, P3.

✓ **Syllabus Topic :** Timer/Counters 3-1
 3.1 Basics of 8051 Timer 3-1
 3.1.1 Timer Registers 3-1
 ✓ **Syllabus Topic :** TMOD Register 3-2
 3.1.2 TMOD Register (Timer Mode Register) (S-17, W-17, S-18, W-18) 3-2
 ✓ **Syllabus Topic :** TCON Register 3-3
 3.1.3 TCON (Timer Control) Register (W-14, W-15, W-17, W-18) 3-3
 ✓ **Syllabus Topic :** Timer/Counter Logic and Modes 3-4
 3.1.4 Timer/Counter Logic and Modes (W-14, W-15, S-16, W-16, W-17, S-18) 3-4
 3.1.4(A) Mode 0 (13 Bit Timer) 3-5
 3.1.4(B) Mode 1 (16 Bit Timer) 3-5
 3.1.4(C) Mode 2 (8 bit Auto Re-load Timer) (S-16, W-17) 3-5
 3.1.4(D) Mode 3 (Split Timer Mode) 3-6
 3.1.5 Clock Source for Timer 3-6
 3.1.6 How to Start Timer 0 ? 3-6
 3.1.7 How to 'Read' a Timer ? 3-7
 3.1.8 Detecting Timer 0 Overflow 3-7
 ✓ **Syllabus Topic :** Simple Programs on Timer to Generate Time Delay in Mode 1 3-8
 3.1.9 Programming Timer of 8051 in Mode 1 3-8
 ✓ **Syllabus Topic :** Simple Programs on Timer to Generate Time Delay in Mode 2 3-15
 3.1.10 Programming Timer of 8051 in Mode 2 (8 Bit Auto Re-load) 3-15
 ✓ **Syllabus Topic :** Interrupts 3-17
 3.2 Interrupt of 8051 (W-15, S-16, S-17, W-17) 3-17
 ✓ **Syllabus Topic :** IE Register 3-17

3.2.1 Interrupt Enable Register (IE Register) (W-14, S-15, W-15, S-16, W-16, S-17, W-17, S-18, W-18) 3-17
 3.2.2 Interrupt Priorities and Vector Addresses (W-14, S-16, W-16, S-17, S-18, W-18) 3-18
 ✓ **Syllabus Topic :** IP Register 3-18
 3.2.3 IP Register (Interrupt Priority) (S-15, W-15, S-16, W-16, S-17, W-18) 3-18
 3.2.4 Handling Interrupt in 8051 (W-14) 3-19
 3.2.5 Interrupt vs Polling 3-19
 3.2.5(A) Difference between Polling and Interrupt Approach (S-15) 3-20
 ✓ **Syllabus Topic :** Simple Programs on Interrupts 3-20
 3.2.6 Simple Programs on Interrupts 3-20
 3.2.6(A) Servicing Single Interrupt 3-20
 3.2.6(B) Servicing More than One Interrupt 3-21
 3.2.6(C) Servicing if Both Interrupts Occur Simultaneously 3-22
 3.2.6(D) Programming External Hardware Interrupt 3-22
 3.2.6(E) Level-triggered Interrupt 3-22
 3.2.6(F) Edge-triggered Interrupts 3-23
 3.2.6(G) Program on Timer Interrupt by Polling Method 3-23
 3.2.6(H) Program on Timer Interrupt using Interrupt Service Routine (ISR) 3-27
 3.2.6(I) Program on External Interrupt using Interrupt Service Routine (ISR) 3-28
 ✓ **Syllabus Topic :** Serial Communication 3-29
 3.3 Serial Communication in 8051 (S-15, S-17, S-18) 3-29
 ✓ **Syllabus Topic :** SBUF Register 3-29
 3.3.1 SBUF Register 3-29
 ✓ **Syllabus Topic :** SCON Register 3-29
 3.3.2 SCON Register (W-14, S-15, W-15, S-16, S-17, W-17, S-18, W-18) 3-29
 ✓ **Syllabus Topic :** PCON Register 3-30
 3.3.3 PCON Register (SFR) (W-14, S-16, W-16, W-18) 3-30
 ✓ **Syllabus Topic :** Modes of Serial Communication 3-31
 3.3.4 Mode 0 of UART (W-14, S-15, W-16, S-17, W-17, S-18, W-18) 3-31
 3.3.5 Mode 1 of UART (W-14, S-15, W-16, S-17, W-17, S-18, W-18) 3-32
 3.3.6 Mode 2 of UART (W-14, S-15, W-16, S-17, W-17, S-18, W-18) 3-33
 3.3.7 Mode 3 of UART (W-14, S-15, W-16, S-17, W-17, S-18, W-18) 3-33
 3.3.8 Baud Rate Definition of UART 3-33
 3.3.9 Timer 1 as a Baud Rate Generator 3-34



- ✓ **Syllabus Topic** : Simple Programs on Serial Communication..... 3-34
- 3.3.10 Simple Program for Serial Communication 3-34
- 3.3.10(A) Programming Serial Data Transmitting 3-34
- 3.3.10(B) Programming Serial Data Receiving 3-35
- 3.3.10(C) Program to Send “Hello” on Serial Port of 8051 3-35
- 3.3.10(D) Program to Send “WELCOME” on Serial Port of 8051 3-36
- 3.3.10(E) Program to Receive 10 Bytes of Data Serially 3-37
- 3.3.10(F) Program to Transmit Data Serially 3-37
- ✓ **Syllabus Topic** : I/O Port Structure and Configuration - P0, P1, P2 and P3 3-38
- 3.4 Parallel I/O Port Structure of 8051 (**S-18**) 3-38
- 3.4.1 Port 0 (Address 80H, Bit-Addressable) (**S-16, W-16, S-17, S-18, W-18**) 3-39
- 3.4.2 Port 1 (Address 90H, Bit-Addressable) 3-39
- 3.4.3 Port 2 (Address A0H, Bit-Addressable) (**W-17**) 3-40
- 3.4.4 Port 3 (Address B0h, Bit-Addressable) (**S-16**) 3-40
- 3.4.5 Current Limitations on Pins 3-41
- 3.4.6 P0, P1, P2, P3 - Input/output Registers 3-41
- 3.4.7 Initializing 8051 Port Pins 3-41
- 3.4.8 Accessing Port Bits using SFR RAM (80 – FFH) 3-42
- 3.4.9 Programming of I/O Ports of 8051 3-42
- Chapter Ends 3-43

UNIT - IV

Chapter 4 : 8051 Memory and I/O Device Interfacing
4-1 to 4-32

Syllabus : Memory interfacing : Program and data memory, I/O Interfacing : LED, relays, keyboard, LCD, seven segment display, Stepper motor, Interfacing DAC : 0808 with 8051 and its simple programming, Interfacing ADC : 0808/09 with 8051 and its simple programming.

- ✓ **Syllabus Topic** : Memory Interfacing 4-1
- 4.1 Memory Interfacing..... 4-1
- 4.1.1 Introduction..... 4-1
- 4.1.2 Semiconductor Memory 4-1
- 4.1.3 Different Memory IC’s Available 4-2
- 4.1.4 Address Decoding 4-2
- 4.1.5 Absolute and Linear Decoding Techniques 4-3
- 4.1.5(A) Absolute Decoding 4-3
- 4.1.5(B) Linear Decoding 4-4
- 4.1.5(C) Difference between Absolute and Linear Decoding... 4-4 (**S-15, S-17, W-17, W-18**)..... 4-4
- 4.1.6 Data, Address and Control Bus of 8051 4-4
- 4.1.7 Interfacing of 8K × 8 Program ROM 4-5

- 4.1.8 Interfacing of 8K × 8 Data ROM..... 4-5
- 4.1.9 Interfacing of 8K × 8 Data ROM and 8K × 8 Program ROM..... 4-5
- 4.1.10 Interfacing of 8K × 8 Data RAM 4-6
- 4.1.11 Interfacing of 64K External RAM and ROM 4-6
- 4.1.12 Interfacing of 4KB RAM and 4KB EPROM (**W-14, S-16, W-16, S-17, W-17, W-18**)..... 4-7
- 4.1.13 Interfacing of 2K x 8 Data RAM 4-9
- 4.1.14 Interfacing of 2K x 8 RAM and 2K x 8 EPROM (**S-15, W-15, S-18**)..... 4-9
- ✓ **Syllabus Topic** : I/O Interfacing..... 4-10
- 4.2 I/O Device Interfacing 4-10
- ✓ **Syllabus Topic** : LED Interfacing 4-10
- 4.2.1 Interfacing of LED (Light Emitting Diode) with 8051 ... 4-10
- 4.2.2 Interfacing of 8 LEDs with 8051 Ports (**W-14, S-16, W-17, S-18**) 4-10
- ✓ **Syllabus Topic** : Seven Segment Display Interfacing 4-12
- 4.2.3 Seven Segment Display 4-12
- 4.2.3(A) Interfacing Seven Segment Display to 8051 (**W-14, W-15**) 4-12
- 4.2.3(B) Interfacing Multiplexed 7 Segment Display with 8051 (4 Digit) 4-13
- ✓ **Syllabus Topic** : Keyboard Interfacing 4-14
- 4.2.4 4 × 4 Matrix Keyboard..... 4-14
- 4.2.4(A) Interfacing of 4 x 4 Matrix Keyboard..... 4-15
- 4.2.4(B) Algorithm 4-15
- 4.2.4(C) Flowchart 4-16
- 4.2.4(D) Program 4-16
- ✓ **Syllabus Topic** : Relay Interfacing 4-18
- 4.2.5 Interfacing of Relays with 8051 Port..... 4-18
- ✓ **Syllabus Topic** : LCD Interfacing 4-19
- 4.2.6 LCD (Liquid Crystal Display)..... 4-19
- 4.2.6(A) Basics of LCD 4-19
- 4.2.6(B) LCD Initialization..... 4-20
- 4.2.6(C) Interfacing of 2 × 16 LCD..... 4-22
- 4.2.6(D) Initializing and sending Data to the LCD..... 4-22
- 4.2.6(E) Program to Display “WELCOME” to LCD Character .. 4-23
- 4.2.6(F) Interfacing 20 × 4 LCD with 8051 4-24
- ✓ **Syllabus Topic** : Stepper Motor Interfacing..... 4-24
- 4.2.7 Interfacing of Stepper Motor with 8051 (**W-14, W-15, W-16, W-17, S-18, W-18**)..... 4-24
- ✓ **Syllabus Topic** : Interfacing DAC - 0808 with 8051 and its Simple Programming..... 4-27
- 4.3 Interfacing of DAC 0808 with 8051 4-27
- ✓ **Syllabus Topic** : Interfacing ADC - 0808/09 with 8051 and its Simple Programming..... 4-29
- 4.4 Interfacing of ADC 0808/09 with 8051 4-29
- Chapter Ends 4-32

**UNIT - V****Chapter 5 : Applications of 8051 Microcontroller****5-1 to 5-17**

Syllabus : Square Wave generation using port pins of 8051, Square and triangular waveform generation using DAC, Water level controller, Temperature controller using ADC 0808/09, Stepper motor control for clockwise and anticlockwise rotation, Traffic light controller.

✓	Syllabus Topic : Square Wave Generation using Port Pins of 8051	5-1
5.1	Square Wave Generation using Port Pins of 8051	5-1
✓	Syllabus Topic : Square and Triangular Waveform Generation using DAC	5-7
5.2	Generation of Different Waves using DAC 0808.....	5-7
5.2.1	Generation of Square Wave from DAC 0808	5-7
5.2.2	Generation of Triangular Wave from DAC 0808	5-7
5.2.3	Generation of Saw-Tooth Wave from DAC 0808	5-8

5.2.4	Generation of Stair Step Voltage from DAC 0808	5-8
✓	Syllabus Topic : Water Level Controller	5-9
5.3	Water Level Controller	5-9
✓	Syllabus Topic : Temperature Controller using ADC (0808/09).....	5-11
5.4	Temperature Controller using ADC 0808/09 and LM35 Sensor.....	5-11
✓	Syllabus Topic : Stepper Motor Control for Clockwise and Anticlockwise Rotation.....	5-13
5.5	Stepper Motor Control (S-18)	5-13
✓	Syllabus Topic : Traffic Light Controller.....	5-15
5.6	Traffic Light Controller using 8051	5-15
	• Chapter Ends	5-17
	• List of Practicals	L-1 to L-27

List of Practicals

Sr. No.	Practical Statement	Page No.
Practical 1	Write sample assembly language program using various addressing modes and assembler directives.	L-1
Practical 2	Write an Assembly Language Program (ALP) to perform arithmetic operation such as addition, subtraction, multiplication and division.	L-1
Practical 3	Write an Assembly Language Program (ALP) to transfer data from source to destination location of internal/external data memory.	L-9
Practical 4	Write an Assembly Language Program (ALP) to find largest/smallest number from the given data bytes stored in internal/external data memory locations	L-12
Practical 5	Write an Assembly Language Program (ALP) for arranging numbers in ascending/descending order stored in external memory locations	L-16
Practical 6	Write an Assembly Language Program (ALP) to generate delay using registers.	L-18
Practical 7	Write an Assembly Language Program (ALP) to transfer 8 bit data serially on serial port.	L-19
Practical 8	Interface LED with microcontroller and turn it ON with microcontroller interrupt.	L-20
Practical 9	Develop an Assembly Language Program (ALP) to generate pulse and square wave by using timer delay.	L-20
Practical 10	Interface 7 segment display to display decimal number from 0 to 9.	L-21



Sr. No.	Practical Statement	Page No.
Practical 11	Interface relay with microcontroller and turn it ON and OFF.	L-22
Practical 12	Interface LCD with 8051 microcontroller to display the character and decimal numbers.	L-22
Practical 13	Interface LCD with 8051 microcontroller to display the character and decimal numbers.	L-23
Practical 14	Interface ADC with 8051 microcontroller and verify input/ output.	L-24
Practical 15	Interface DAC with 8051 microcontroller and observe waveforms i.e. Square wave, triangular wave, saw-tooth wave.	L-25
Practical 16	Interface stepper motor to microcontroller and rotate in clockwise and anti-clockwise direction at the given angles.	L-26

