



Chapter 1 : Fundamentals of Microprocessors and Microcontrollers 1-1 to 1-27

1.1	Some Basic Terms used in Microprocessors	1-1
1.1.1	Microprocessor Characteristics and Functions.....	1-1
1.1.1(A)	Characteristics of Microprocessor	1-1
1.1.1(B)	Functions of a Microprocessor	1-2
1.1.2	Block Diagram of a Microcomputer	1-2
1.1.3	Buses and Memory Accessing.....	1-3
1.1.3(A)	Address Bus	1-3
1.1.3(B)	Data Bus.....	1-4
1.1.3(C)	Control Bus.....	1-4
1.1.4	ALU (Arithmetic and Logic Unit).....	1-4
1.1.5	Basic Important Terms.....	1-5
1.2	Introduction to Microcontroller	1-5
1.2.1	Microprocessor	1-5
1.2.2	Microcontroller	1-6
1.2.3	Comparison of Microprocessors and Microcontrollers.....	1-6
1.2.4	Advantages of Microcontrollers over Microprocessors.....	1-7
1.2.5	Disadvantages/Limitations of 8 bit Microcontrollers over Microprocessors.....	1-7
1.2.6	Applications of Microcontrollers	1-7
1.3	Von Neumann and Harvard Architecture.....	1-7
1.3.1	Von Neumann Architecture	1-8
1.3.2	Harvard Architecture	1-9
1.3.3	Difference between Harvard and Von-Neumann Architecture	1-9
1.3.4	RISC.....	1-9
1.4	Evolution of Microprocessors	1-11
1.4.1	Generations of Microprocessors	1-11
1.5	8085 Microprocessor	1-12
1.5.1	Features of 8085 Microprocessor.....	1-12
1.5.1(A)	Basic Features of 8085	1-12

1.5.1(B)	Special Features of 8085	1-12
1.5.1(C)	Miscellaneous Features of 8085	1-12
1.5.2	Architecture of 8085 Microprocessor.....	1-12
1.5.2(A)	Registers	1-14
1.5.2(B)	ALU	1-18
1.5.2(C)	Instruction Register, Decoder and Control	1-18
1.5.2(D)	Timing and Control Unit	1-18
1.5.2(E)	Address and Address/Data Buffer.....	1-18
1.5.2(F)	Address Increment/Decrement Latch.....	1-18
1.5.2(G)	Interrupt Control.....	1-18
1.5.2(H)	Serial I/O	1-19
1.5.3	Functional Pin Diagram of 8085.....	1-19
1.5.3(A)	Clock and Reset Signals.....	1-19
1.5.3(B)	Address and Data Lines.....	1-20
1.5.3(C)	Control and Status Signals	1-21
1.5.3(D)	Power Supply Signals	1-22
1.5.3(E)	Interrupt Related Signals	1-22
1.5.3(F)	Serial I / O Ports	1-22
1.5.3(G)	DMA Pins.....	1-22
1.5.4	Interrupts in 8085.....	1-23
1.5.5	T-state, Machine Cycle and Instruction Cycle	1-24
1.6	History of 8 Bit Microcontrollers	1-25
1.7	Role of Embedded Systems	1-25
1.8	Overview of the AVR Family	1-26

Chapter 2 : Architecture of 8-bit AVR 2-1 to 2-15

2.1	Features of ATmega 328P	2-1
2.2	ATmega 328P Microcontroller Architecture.....	2-2
2.3	ALU- Arithmetic Logic Unit.....	2-5
2.4	AVR General Purpose Registers.....	2-5
2.4.1	Registers X, Y and Z.....	2-6
2.5	AVR Status Register.....	2-6
2.6	The Stack and Stack Pointer	2-7



<p>2.7 Memory Access and Instruction Execution Timing2-8</p> <p>2.8 ATmega 328P Pin Configuration and Function of Each Pin.....2-9</p> <p>2.9 Memory Organization and ROM Space.....2-10</p> <p>2.9.1 Data Memory2-10</p> <p>2.9.1(A) General Purpose Registers (R0-R31)2-11</p> <p>2.9.1(B) I/O Memory (SFRs).....2-11</p> <p>2.9.1(C) Internal Data SRAM.....2-11</p> <p>2.9.1(D) EPROM Data Memory2-11</p> <p>2.9.2 Program Memory/In-system Reprogrammable Flash Program Memory2-11</p> <p>2.10 Other Modules of ATmega328P.....2-12</p> <p>2.10.1 Port Structure.....2-12</p> <p>2.10.2 Interrupts2-12</p> <p>2.10.3 Timers2-12</p> <p>2.10.4 USART2-12</p> <p>2.10.5 Serial Peripheral Interface (SPI).....2-13</p> <p>2.10.6 Two Wire Interface (TWI).....2-13</p> <p>2.10.7 ADC.....2-13</p> <p>2.11 Sensors and Actuators.....2-13</p> <p>2.12 Data Acquisition Systems2-14</p>	<p>3.1.10 Program Memory Addressing with Post-increment3-4</p> <p>3.1.11 Direct Program Addressing, JMP and CALL3-4</p> <p>3.1.12 Indirect Program Addressing, IJMP and ICALL.....3-4</p> <p>3.1.13 Relative Program Addressing, RJMP and RCALL...3-5</p> <p>3.2 Classification of the Instruction Set.....3-5</p> <p>3.3 Data Transfer Instructions.....3-5</p> <p>3.3.1 MOV Rd, Rr3-5</p> <p>3.3.2 MOVW Rd+1 : Rd, Rr+1 : Rr3-6</p> <p>3.3.3 LDI Rd, K.....3-6</p> <p>3.3.4 LD Rd, X.....3-6</p> <p>3.3.5 LD Rd, X+3-6</p> <p>3.3.6 LD Rd, - X.....3-7</p> <p>3.3.7 LD Rd, Y.....3-7</p> <p>3.3.8 LD Rd, Y+3-7</p> <p>3.3.9 LD Rd, - Y.....3-8</p> <p>3.3.10 LDD Rd, Y+q3-8</p> <p>3.3.11 LD Rd, Z3-8</p> <p>3.3.12 LD Rd, Z+3-9</p> <p>3.3.13 LD Rd, - Z.....3-9</p> <p>3.3.14 LDD Rd, Z+q.....3-9</p> <p>3.3.15 LDS Rd, k.....3-10</p> <p>3.3.16 ST X, Rr.....3-10</p> <p>3.3.17 ST X+, Rr.....3-10</p> <p>3.3.18 ST - X, Rr.....3-10</p> <p>3.3.19 ST Y, Rr.....3-11</p> <p>3.3.20 ST Y+, Rr.....3-11</p> <p>3.3.21 ST - Y, Rr.....3-11</p> <p>3.3.22 STD Y+q, Rr3-11</p> <p>3.3.23 ST Z, Rr.....3-12</p> <p>3.3.24 ST Z+, Rr.....3-12</p> <p>3.3.25 ST - Z, Rr.....3-12</p> <p>3.3.26 STD Z+q, Rr3-12</p> <p>3.3.27 STS k, Rr.....3-13</p>
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Chapter 3 : Addressing Modes and Instruction Set

3-1 to 3-37

<p>3.1 Addressing Modes3-1</p> <p>3.1.1 Register Direct, Single Destination Register (R_d)3-1</p> <p>3.1.2 Two Registers Addressing Mode3-1</p> <p>3.1.3 I/O Direct Addressing Mode3-1</p> <p>3.1.4 Direct Addressing Mode.....3-2</p> <p>3.1.5 Register Indirect Addressing Mode3-2</p> <p>3.1.6 Register Indirect Addressing with Displacement3-2</p> <p>3.1.7 Register Indirect Addressing with Pre-decrement3-3</p> <p>3.1.8 Register Indirect Addressing with Post-Increment.....3-3</p> <p>3.1.9 Program Memory Constant Addressing3-3</p>



3.3.28	LPM.....	3-13	3.5	Bit and Bit-Test Instructions.....	3-19
3.3.29	LPM Rd, Z.....	3-13	3.5.1	SBI P, b.....	3-19
3.3.30	LPM Rd, Z+.....	3-13	3.5.2	CBI P, b.....	3-19
3.3.31	SPM.....	3-13	3.5.3	LSL Rd.....	3-19
3.3.32	IN Rd, P.....	3-14	3.5.4	LSR Rd.....	3-20
3.3.33	OUT P, Rr.....	3-14	3.5.5	ROL Rd.....	3-20
3.3.34	PUSH Rr.....	3-14	3.5.6	ROR Rd.....	3-20
3.3.35	POP Rd.....	3-14	3.5.7	ASR Rd.....	3-20
3.4	Arithmetic and Logic Instructions.....	3-14	3.5.8	SWAP Rd.....	3-21
3.4.1	ADD Rd, Rr.....	3-14	3.5.9	BSET s.....	3-21
3.4.2	ADC Rd, Rr.....	3-14	3.5.10	BCLR s.....	3-21
3.4.3	ADIW Rd+1 : Rd,K.....	3-15	3.5.11	BST Rr, b.....	3-21
3.4.4	SUB Rd, Rr.....	3-15	3.5.12	BLD Rd, b.....	3-21
3.4.5	SUBI Rd, K.....	3-15	3.5.13	SEC.....	3-21
3.4.6	SBC Rd, Rr.....	3-15	3.5.14	CLC.....	3-22
3.4.7	SBCI Rd, K.....	3-16	3.5.15	SEN.....	3-22
3.4.8	SBIW Rd+1: Rd, K.....	3-16	3.5.16	CLN.....	3-22
3.4.9	AND Rd, Rr.....	3-16	3.5.17	SEZ.....	3-22
3.4.10	ANDI Rd, K.....	3-16	3.5.18	CLZ.....	3-22
3.4.11	OR Rd, Rr.....	3-16	3.5.19	SEI.....	3-22
3.4.12	ORI Rd, K.....	3-17	3.5.20	CLI.....	3-23
3.4.13	EOR Rd, Rr.....	3-17	3.5.21	SES.....	3-23
3.4.14	COM Rd.....	3-17	3.5.22	CLS.....	3-23
3.4.15	NEG Rd.....	3-17	3.5.23	SEV.....	3-23
3.4.16	SBR Rd, K.....	3-17	3.5.24	CLV.....	3-23
3.4.17	CBR Rd, K.....	3-17	3.5.25	SET.....	3-23
3.4.18	INC Rd.....	3-18	3.5.26	CLT.....	3-24
3.4.19	DEC Rd.....	3-18	3.5.27	SEH.....	3-24
3.4.20	TST Rd.....	3-18	3.5.28	CLH.....	3-24
3.4.21	CLR Rd.....	3-18	3.6	Branch Instructions.....	3-24
3.4.22	SER Rd.....	3-18	3.6.1	RJMP k.....	3-24
3.4.23	MUL Rd, Rr.....	3-18	3.6.2	IJMP.....	3-24
3.4.24	MULS Rd, Rr.....	3-19	3.6.3	JMP k.....	3-24
3.4.25	MULSU Rd, Rr.....	3-19	3.6.4	RCALL k.....	3-25



3.6.5	ICALL.....	3-25	3.7.2	SLEEP.....	3-31
3.6.6	CALL k.....	3-25	3.7.3	WDR.....	3-31
3.6.7	RET.....	3-25	3.7.4	BREAK.....	3-31
3.6.8	RETI.....	3-25	3.8	AVR Data Types.....	3-31
3.6.9	CPSE Rd, Rr.....	3-26	3.9	Instruction Set Summary.....	3-32
3.6.10	CP Rd, Rr.....	3-26	<hr/>		
3.6.11	CPC Rd, Rr.....	3-26	Chapter 4 : AVR Assembly Language Programming		
3.6.12	CPI Rd, K.....	3-26	4-1 to 4-16		
3.6.13	SBRC Rr, b.....	3-26	<hr/>		
3.6.14	SBRS Rr, b.....	3-27	4.1	Assembler Directives.....	4-1
3.6.15	SBIC P, b.....	3-27	4.2	Introduction.....	4-3
3.6.16	SBIS P, b.....	3-27	4.2.1	Programming Methodology.....	4-3
3.6.17	BRBS s, k.....	3-27	4.3	Assembly Language Structure.....	4-3
3.6.18	BRBC s, k.....	3-27	4.4	Assembler Instruction Format.....	4-3
3.6.19	BREQ k.....	3-27	4.4.1	Program Format.....	4-4
3.6.20	BRNE k.....	3-28	4.5	Assembling and Running an AVR Program.....	4-4
3.6.21	BRCS k.....	3-28	4.6	Assembly Language Programs.....	4-5
3.6.22	BRCC k.....	3-28	4.7	Logical and BCD, ASCII & Hex Conversion Assembly Language Programs.....	4-10
3.6.23	BRSH k.....	3-28	4.8	Time Delay Loops.....	4-13
3.6.24	BRLO k.....	3-28	4.9	Look-up Table.....	4-14
3.6.25	BRMI k.....	3-29	4.10	MACRO.....	4-15
3.6.26	BRPL k.....	3-29	4.10.1	Comparison of Procedure and Macro.....	4-16
3.6.27	BRGE k.....	3-29	<hr/>		
3.6.28	BRLT k.....	3-29	Chapter 5 : I/O Port Programming		
3.6.29	BRHS k.....	3-29	5-1 to 5-9		
3.6.30	BRHC k.....	3-30	<hr/>		
3.6.31	BRTS k.....	3-30	5.1	Concept of GPIO in ATmega328P based Arduino Board.....	5-1
3.6.32	BRTC k.....	3-30	5.1.1	DDRx I/O Register.....	5-2
3.6.33	BRVS k.....	3-30	5.1.2	PIN I/O Register.....	5-2
3.6.34	BRVC k.....	3-30	5.1.3	PORTx Register.....	5-3
3.6.35	BRIE k.....	3-30	5.1.4	Disabling Pull-up Registers in all Ports.....	5-3
3.6.36	BRID k.....	3-31	5.1.5	Port B.....	5-3
3.7	MCU Control Instructions.....	3-31	5.1.6	Port C.....	5-4
3.7.1	NOP.....	3-31	5.1.7	Port D.....	5-5
			5.1.8	Port Status Upon Reset.....	5-5



5.1.9	Programming a port as Input.....	5-5
5.1.10	Port B as Output	5-6
5.2	Single Bit Addressability of Ports	5-6

Chapter 6 : AVR Programming in C 6-1 to 6-18

6.1	Introduction	6-1
6.1.1	Pros and Cons of C and assembly languages.....	6-1
6.2	Function.....	6-1
6.3	Variables and Data Types.....	6-2
6.4	Header and Source Files	6-4
6.5	Comments	6-4
6.6	Preprocessor	6-4
6.7	Conditional Statements.....	6-5
6.7.1	if-else Selective Statement	6-5
6.7.2	Looping Statements	6-6
6.8	C- Control Structures for Iteration	6-6
6.8.1	for Loop	6-6
6.9	Logical and Bitwise Operators.....	6-9
6.10	Compound Assignment Operators	6-9
6.11	Arithmetic Operations	6-10
6.12	Embedded C programming	6-10
6.12.1	Arduino Hardware and software combination for C programming of ATmega328P	6-10
6.12.2	Atmel Studio along with AVR hardware kits or simulation	6-12
6.13	Intel Hex File	6-12
6.14	Time Delays in C	6-15
6.15	I/O Programming in C	6-16
6.15.1	Byte Size I/O.....	6-16
6.15.2	Bit Addressable I/O Programming.....	6-17
6.16	Data Conversion Programs in C.....	6-17
6.16.1	Packed, Unpacked BCD - ASCII Conversion	6-17

Chapter 7 : AVR on-Chip Peripherals and its

Programming		7-1 to 7-50
7.1	Introduction.....	7-1
7.2	General Purpose I/O Ports.....	7-1
7.3	Timer/Counter.....	7-2
7.3.1	Timer/Counter 0.....	7-2
7.3.1(a)	Timer/Counter 0 Block Diagram	7-3
7.3.1(b)	Timer/Counter 0 Registers	7-3
7.3.1(c)	Operating Modes of Timer/Counter 0	7-6
7.3.2	Timer/Counter 1.....	7-8
7.3.2(a)	Timer/Counter 1 Block Diagram	7-9
7.3.2(b)	Timer/Counter 1 Registers	7-9
7.3.3	Timer/Counter 2.....	7-14
7.3.3(a)	Features	7-14
7.3.3(b)	Timer/Counter 2 Block Diagram	7-14
7.3.3(c)	Timer/Counter 2 Registers	7-15
7.4	Introduction to Serial Communication	7-25
7.4.1	Types of Communication Systems.....	7-26
7.4.2	Baud Rate.....	7-26
7.5	Serial Transmission Formats	7-27
7.5.1	Asynchronous Data Transfer	7-27
7.5.2	Synchronous Data Transfer	7-27
7.6	USART Concept	7-28
7.6.1	USART Baud Rate Register (UBRR)	7-30
7.6.2	USART Data Register (UDR).....	7-31
7.6.3	USART Control Status Registers (UCSRs).....	7-31
7.6.3(a)	USART Control and Status Register n A (UCSRnA)	7-31
7.6.3(b)	USART Control and Status Register B (UCSRB)	7-32



7.6.3(c)	UCSRC : USART Control and Status Register C.....	7-33	8.3.5	Interfacing LCD Module with ATmega 328P Microcontroller	8-10
7.7	Programming the AVR ATmega 32 to Transfer Data Serially.....	7-34	8.3.6	LCD using Arduino Development Environment	8-10
7.8	Programming the AVR to Receive Data Serially	7-36	8.4	Interfacing GLCD	8-15
7.9	Serial Peripheral Interface (SPI).....	7-38	8.4.1	Display Control Instruction for KS0108	8-17
7.9.1	SPI Control Register (SPCR)	7-40	8.5	Interfacing DAC 0808 with ATmega328P Microcontroller	8-18
7.9.2	SPI Status Register (SPSR)	7-41	8.5.1	Features of DAC 0808	8-18
7.9.3	SPI Data Register (SPDR).....	7-41	8.5.2	Pin Configuration and Functional Block Diagram	8-18
7.10	I2C or Two Wire Serial Interface (TWI)	7-43	8.6	ATmega328P ADC Features and Programming	8-24
7.10.1	I2C or TWI operation	7-44	8.6.1	Block Diagram of ADC of ATmega 328P	8-24
7.10.2	Block diagram of TWI unit of AVR	7-45	8.6.2	ADC Registers	8-26
7.10.3	TWBR (TWI Bit rate Register).....	7-47	8.6.3	A/D Converter Programming using Polling.....	8-30
7.10.4	TWCR (TWI Control Register)	7-47	8.7	Temperature Sensor LM35	8-31
7.10.5	TWSR (TWI Status Register).....	7-48	8.8	Interfacing Relays	8-34
7.10.6	TWDR (TWI Data Register)	7-48	8.8.1	Solid State Relay	8-34
7.10.7	TWAR (TWI Address Register).....	7-48	8.9	Opto-Isolator	8-35
7.10.8	TWAMR (TWI Address Mask Register)	7-48	8.10	Interfacing Button, LED, Relay and Buzzer to AVR Microcontroller	8-35
7.10.9	TWI programming.....	7-48	8.11	Stepper Motor.....	8-37
Chapter 8 : Device Interfacing and its Programming			8.11.1	Interfacing of Stepper Motor with AVR Microcontroller	8-38
8-1 to 8-61			8.12	Input capture and wave generation	8-39
8.1	Interfacing of Switches.....	8-1	8.12.1	Wave Generation using Timer 0	8-40
8.2	Keypad / Keyboard	8-1	8.12.2	Generating Square Wave using Timer 0 in Normal Mode	8-42
8.2.1	Keyboard Interface Circuit.....	8-2	8.13	Input Capture Programming.....	8-43
8.2.2	Matrix Keyboard Interface	8-3	8.13.1	Steps to Program Input Capture Function.....	8-44
8.3	Interfacing Liquid Crystal Display (LCD) to AVR	8-8	8.14	Concept of Pulse Width Modulation	8-45
8.3.1	LCD Pin Description.....	8-8			
8.3.2	Cursor Addresses for LCDs	8-9			
8.3.3	LCD Command Codes.....	8-9			
8.3.4	Initialization of LCD.....	8-9			



8.15	DC Motor Control	8-46	8.17.4	Time, Calendar and Alarm Locations	8-52
8.15.1	Unidirectional Control.....	8-46	8.17.5	Interrupts	8-53
8.15.2	Bidirectional Control	8-46	8.17.6	Interfacing DS1307 with ATmega328P	8-55
8.16	Interfacing DC Motor using L293 H-Bridge.....	8-47	8.17.7	Writing to the DS1307.....	8-56
8.17	Real Time Clock DS12887.....	8-49	8.17.8	Reading from DS1307	8-56
8.17.1	Features of DS12887.....	8-49	8.17.9	Programming DS1307 to Set the Time and Date	8-56
8.17.2	Pin Descriptions	8-50			
8.17.3	Address Map.....	8-52		● Lab Manual	L-32





Lab Manual

Experiment No.	Name of the Experiment	Page No.
1.	Overview of Embedded System Architecture.	L-1
2.	Introduction to Arduino.	L-3
3.	Introduction to Arduino IDE.	L-3
4.	Programming Concepts.	L-9
5.	Digital Input and Output.	L-14
6.	Interfacing of Switches.	L-16
7.	Interfacing Matrix Keypad.	L-17
8.	Analog Input Pins.	L-20
9.	Programming Arduino Timer.	L-20
10.	LCD Interfacing using Arduino.	L-23
11.	Programming ADC using Arduino IDE.	L-25
12.	Interfacing of Temperature Sensor LM35D with Arduino and Displaying output on LCD.	L-26
13.	Interfacing DC Motor using L293 H-Bridge.	L-28
14.	DC Motor Speed Control using PWM.	L-30
15.	Write program to rotate stepper motor in half step and full step mode in assembly as well as c language.	L-32
16.	Observe waveform of I2C and SPI communication and understand I2C and SPI protocol.	L-32