



Chapter 1 : Fundamentals of Microprocessors and Microcontrollers 1-1 to 1-27

1.1	Some Basic Terms used in Microprocessors	1-1
1.1.1	Microprocessor Characteristics and Functions.....	1-1
1.1.1(A)	Characteristics of Microprocessor.....	1-1
1.1.1(B)	Functions of a Microprocessor	1-2
1.1.2	Block Diagram of a Microcomputer	1-2
1.1.3	Buses and Memory Accessing.....	1-3
1.1.3(A)	Address Bus	1-3
1.1.3(B)	Data Bus.....	1-4
1.1.3(C)	Control Bus.....	1-4
1.1.4	ALU (Arithmetic and Logic Unit).....	1-4
1.1.5	Basic Important Terms.....	1-5
1.2	Introduction to Microcontroller.....	1-5
1.2.1	Microprocessor	1-5
1.2.2	Microcontroller	1-6
1.2.3	Comparison of Microprocessors and Microcontrollers.....	1-6
1.2.4	Advantages of Microcontrollers over Microprocessors.....	1-7
1.2.5	Disadvantages/Limitations of 8 bit Microcontrollers over Microprocessors.....	1-7
1.2.6	Applications of Microcontrollers	1-7
1.3	Von Neumann and Harvard Architecture.....	1-7
1.3.1	Von Neumann Architecture.....	1-8
1.3.2	Harvard Architecture	1-9
1.3.3	Difference between Harvard and Von-Neumann Architecture	1-9
1.3.4	RISC	1-9
1.4	Evolution of Microprocessors	1-11
1.4.1	Generations of Microprocessors	1-11
1.5	8085 Microprocessor	1-12
1.5.1	Features of 8085 Microprocessor.....	1-12
1.5.1(A)	Basic Features of 8085	1-12

1.5.1(B)	Special Features of 8085	1-12
1.5.1(C)	Miscellaneous Features of 8085	1-12
1.5.2	Architecture of 8085 Microprocessor.....	1-12
1.5.2(A)	Registers	1-14
1.5.2(B)	ALU	1-18
1.5.2(C)	Instruction Register, Decoder and Control	1-18
1.5.2(D)	Timing and Control Unit	1-18
1.5.2(E)	Address and Address/Data Buffer.....	1-18
1.5.2(F)	Address Increment/Decrement Latch.....	1-18
1.5.2(G)	Interrupt Control.....	1-18
1.5.2(H)	Serial I/O	1-19
1.5.3	Functional Pin Diagram of 8085.....	1-19
1.5.3(A)	Clock and Reset Signals.....	1-19
1.5.3(B)	Address and Data Lines.....	1-20
1.5.3(C)	Control and Status Signals	1-21
1.5.3(D)	Power Supply Signals	1-22
1.5.3(E)	Interrupt Related Signals	1-22
1.5.3(F)	Serial I / O Ports	1-22
1.5.3(G)	DMA Pins.....	1-22
1.5.4	Interrupts in 8085.....	1-23
1.5.5	T-state, Machine Cycle and Instruction Cycle	1-24
1.6	History of 8 Bit Microcontrollers	1-25
1.7	Role of Embedded Systems	1-25
1.8	Overview of the AVR Family	1-26

Chapter 2 : Architecture of 8-bit AVR 2-1 to 2-15

2.1	Features of ATmega 328P	2-1
2.2	ATmega 328P Microcontroller Architecture.....	2-2
2.3	ALU- Arithmetic Logic Unit.....	2-5
2.4	AVR General Purpose Registers.....	2-5
2.4.1	Registers X, Y and Z.....	2-6
2.5	AVR Status Register.....	2-6
2.6	The Stack and Stack Pointer	2-7



2.7	Memory Access and Instruction	3.1.10	Program Memory Addressing with Post-increment	3-4
	Execution Timing2-8			
2.8	ATmega 328P Pin Configuration and Function of Each Pin.....2-9	3.1.11	Direct Program Addressing, JMP and CALL	3-4
2.9	Memory Organization and ROM Space.....2-10	3.1.12	Indirect Program Addressing, IJMP and ICALL.....3-4	
2.9.1	Data Memory2-10	3.1.13	Relative Program Addressing, RJMP and RCALL....3-5	
2.9.1(A)	General Purpose Registers (R0-R31)2-11	3.2	Classification of the Instruction Set.....3-5	
2.9.1(B)	I/O Memory (SFRs).....2-11	3.3	Data Transfer Instructions.....3-5	
2.9.1(C)	Internal Data SRAM.....2-11	3.3.1	MOV Rd, Rr	3-5
2.9.1(D)	EPROM Data Memory2-11	3.3.2	MOVW Rd+1 : Rd, Rr+1 : Rr	3-6
2.9.2	Program Memory/In-system Reprogrammable Flash Program Memory2-11	3.3.3	LDI Rd, K	3-6
2.10	Other Modules of ATmega328P.....2-12	3.3.4	LD Rd, X	3-6
2.10.1	Port Structure.....2-12	3.3.5	LD Rd, X+	3-6
2.10.2	Interrupts	3.3.6	LD Rd, - X	3-7
2.10.3	Timers	3.3.7	LD Rd, Y	3-7
2.10.4	USART	3.3.8	LD Rd, Y+	3-7
2.10.5	Serial Peripheral Interface (SPI).....2-13	3.3.9	LD Rd, - Y	3-8
2.10.6	Two Wire Interface (TWI).....2-13	3.3.10	LDD Rd, Y+q	3-8
2.10.7	ADC.....2-13	3.3.11	LD Rd, Z	3-8
2.11	Sensors and Actuators.....2-13	3.3.12	LD Rd, Z+	3-9
2.12	Data Acquisition Systems	3.3.13	LD Rd, - Z	3-9
Chapter 3 : Addressing Modes and Instruction Set		3.3.14	LDD Rd, Z+q.....3-9	
3-1 to 3-37		3.3.15	LDS Rd, k	3-10
		3.3.16	ST X, Rr.....3-10	
3.1	Addressing Modes	3.3.17	ST X+, Rr.....3-10	
3.1.1	Register Direct, Single Destination Register (R_d)	3.3.18	ST - X, Rr.....3-10	
3.1.2	Two Registers Addressing Mode	3.3.19	ST Y, Rr.....3-11	
3.1.3	I/O Direct Addressing Mode	3.3.20	ST Y+, Rr.....3-11	
3.1.4	Direct Addressing Mode.....3-2	3.3.21	ST - Y, Rr.....3-11	
3.1.5	Register Indirect Addressing Mode	3.3.22	STD Y+q, Rr	3-11
3.1.6	Register Indirect Addressing with Displacement	3.3.23	ST Z, Rr.....3-12	
3.1.7	Register Indirect Addressing with Pre-decrement	3.3.24	ST Z+, Rr.....3-12	
3.1.8	Register Indirect Addressing with Post-Increment.....3-3	3.3.25	ST - Z, Rr.....3-12	
3.1.9	Program Memory Constant Addressing	3.3.26	STD Z+q, Rr	3-12
		3.3.27	STS k, Rr.....3-13	



3.3.28	LPM	3-13	3.5	Bit and Bit-Test Instructions	3-19
3.3.29	LPM Rd, Z	3-13	3.5.1	SBI P, b	3-19
3.3.30	LPM Rd, Z+	3-13	3.5.2	CBI P, b	3-19
3.3.31	SPM.....	3-13	3.5.3	LSL Rd.....	3-19
3.3.32	IN Rd, P.....	3-14	3.5.4	LSR Rd.....	3-20
3.3.33	OUT P, Rr.....	3-14	3.5.5	ROL Rd.....	3-20
3.3.34	PUSH Rr.....	3-14	3.5.6	ROR Rd.....	3-20
3.3.35	POP Rd	3-14	3.5.7	ASR Rd.....	3-20
3.4	Arithmetic and Logic Instructions	3-14	3.5.8	SWAP Rd	3-21
3.4.1	ADD Rd, Rr.....	3-14	3.5.9	BSET s	3-21
3.4.2	ADC Rd, Rr.....	3-14	3.5.10	BCLR s	3-21
3.4.3	ADIW Rd+1 : Rd,K.....	3-15	3.5.11	BST Rr, b	3-21
3.4.4	SUB Rd, Rr.....	3-15	3.5.12	BLD Rd, b	3-21
3.4.5	SUBI Rd, K	3-15	3.5.13	SEC	3-21
3.4.6	SBC Rd, Rr.....	3-15	3.5.14	CLC	3-22
3.4.7	SBCI Rd, K	3-16	3.5.15	SEN	3-22
3.4.8	SBIW Rd+1: Rd, K.....	3-16	3.5.16	CLN	3-22
3.4.9	AND Rd, Rr.....	3-16	3.5.17	SEZ	3-22
3.4.10	ANDI Rd, K	3-16	3.5.18	CLZ	3-22
3.4.11	OR Rd, Rr	3-16	3.5.19	SEI.....	3-22
3.4.12	ORI Rd, K	3-17	3.5.20	CLI.....	3-23
3.4.13	EOR Rd, Rr.....	3-17	3.5.21	SES	3-23
3.4.14	COM Rd.....	3-17	3.5.22	CLS	3-23
3.4.15	NEG Rd	3-17	3.5.23	SEV	3-23
3.4.16	SBR Rd, K	3-17	3.5.24	CLV	3-23
3.4.17	CBR Rd, K.....	3-17	3.5.25	SET	3-23
3.4.18	INC Rd.....	3-18	3.5.26	CLT	3-24
3.4.19	DEC Rd	3-18	3.5.27	SEH	3-24
3.4.20	TST Rd	3-18	3.5.28	CLH	3-24
3.4.21	CLR Rd.....	3-18	3.6	Branch Instructions	3-24
3.4.22	SER Rd.....	3-18	3.6.1	RJMP k	3-24
3.4.23	MUL Rd, Rr.....	3-18	3.6.2	IJMP	3-24
3.4.24	MULS Rd, Rr	3-19	3.6.3	JMP k	3-24
3.4.25	MULSU Rd, Rr	3-19	3.6.4	RCALL k	3-25



3.6.5	ICALL.....	3-25	3.7.2	SLEEP.....	3-31
3.6.6	CALL k.....	3-25	3.7.3	WDR.....	3-31
3.6.7	RET	3-25	3.7.4	BREAK	3-31
3.6.8	RETI	3-25	3.8	AVR Data Types	3-31
3.6.9	CPSE Rd, Rr.....	3-26	3.9	Instruction Set Summary	3-32
3.6.10	CP Rd, Rr	3-26	Chapter 4 : AVR Assembly Language Programming		
3.6.11	CPC Rd, Rr.....	3-26	4-1 to 4-16		
3.6.12	CPI Rd, K.....	3-26	4.1	Assembler Directives	4-1
3.6.13	SBRC Rr, b.....	3-26	4.2	Introduction	4-3
3.6.14	SBRS Rr, b	3-27	4.2.1	Programming Methodology	4-3
3.6.15	SBIC P, b.....	3-27	4.3	Assembly Language Structure	4-3
3.6.16	SBIS P, b	3-27	4.4	Assembler Instruction Format	4-3
3.6.17	BRBS s, k	3-27	4.4.1	Program Format.....	4-4
3.6.18	BRBC s, k.....	3-27	4.5	Assembling and Running an AVR Program	4-4
3.6.19	BREQ k.....	3-27	4.6	Assembly Language Programs.....	4-5
3.6.20	BRNE k.....	3-28	4.7	Logical and BCD, ASCII & Hex Conversion Assembly	
3.6.21	BRCS k.....	3-28		Language Programs	4-10
3.6.22	BRCC k.....	3-28	4.8	Time Delay Loops.....	4-13
3.6.23	BRSH k.....	3-28	4.9	Look-up Table.....	4-14
3.6.24	BRLO k.....	3-28	4.10	MACRO	4-15
3.6.25	BRMI k.....	3-29	4.10.1	Comparison of Procedure and Macro.....	4-16
3.6.26	BRPL k	3-29	Chapter 5 : I/O Port Programming		
3.6.27	BRGE k.....	3-29	5-1 to 5-9		
3.6.28	BRLT k.....	3-29	5.1	Concept of GPIO in ATmega328P	
3.6.29	BRHS k.....	3-29		based Arduino Board	5-1
3.6.30	BRHC k.....	3-30	5.1.1	DDRx I/O Register	5-2
3.6.31	BRTS k.....	3-30	5.1.2	PIN I/O Register.....	5-2
3.6.32	BRTC k.....	3-30	5.1.3	PORTx Register.....	5-3
3.6.33	BRVS k.....	3-30	5.1.4	Disabling Pull-up Registers in all Ports	5-3
3.6.34	BRVC k.....	3-30	5.1.5	Port B	5-3
3.6.35	BRIE k	3-30	5.1.6	Port C	5-4
3.6.36	BRID k	3-31	5.1.7	Port D	5-5
3.7	MCU Control Instructions.....	3-31	5.1.8	Port Status Upon Reset	5-5
3.7.1	NOP	3-31			



5.1.9	Programming a port as Input.....	5-5	Chapter 7 : AVR on-Chip Peripherals and its Programming	7-1 to 7-50	
5.1.10	Port B as Output	5-6		7.1	Introduction..... 7-1
5.2	Single Bit Addressability of Ports	5-6		7.2	General Purpose I/O Ports..... 7-1
Chapter 6 : AVR Programming in C			6-1 to 6-18	7.3	Timer/Counter..... 7-2
6.1	Introduction.....	6-1	7.3.1	Timer/Counter 0..... 7-2	
6.1.1	Pros and Cons of C and assembly languages.....	6-1	7.3.1(a)	Timer/Counter 0 Block Diagram..... 7-3	
6.2	Function.....	6-1	7.3.1(b)	Timer/Counter 0 Registers..... 7-3	
6.3	Variables and Data Types.....	6-2	7.3.1(c)	Operating Modes of Timer/Counter 0..... 7-6	
6.4	Header and Source Files	6-4	7.3.2	Timer/Counter 1..... 7-8	
6.5	Comments	6-4	7.3.2(a)	Timer/Counter 1 Block Diagram..... 7-9	
6.6	Preprocessor	6-4	7.3.2(b)	Timer/Counter 1 Registers..... 7-9	
6.7	Conditional Statements.....	6-5	7.3.3	Timer/Counter 2..... 7-14	
6.7.1	if-else Selective Statement	6-5	7.3.3(a)	Features 7-14	
6.7.2	Looping Statements.....	6-6	7.3.3(b)	Timer/Counter 2 Block Diagram..... 7-14	
6.8	C- Control Structures for Iteration	6-6	7.3.3(c)	Timer/Counter 2 Registers..... 7-15	
6.8.1	for Loop	6-6	7.4	Introduction to Serial Communication 7-25	
6.9	Logical and Bitwise Operators.....	6-9	7.4.1	Types of Communication Systems..... 7-26	
6.10	Compound Assignment Operators.....	6-9	7.4.2	Baud Rate..... 7-26	
6.11	Arithmetic Operations	6-10	7.5	Serial Transmission Formats 7-27	
6.12	Embedded C programming	6-10	7.5.1	Asynchronous Data Transfer 7-27	
6.12.1	Arduino Hardware and software combination for C programming of ATmega328P	6-10	7.5.2	Synchronous Data Transfer 7-27	
6.12.2	Atmel Studion along with AVR hardware kits or simulation	6-12	7.6	USART Concept 7-28	
6.13	Intel Hex File	6-12	7.6.1	USART Baud Rate Register (UBRR) 7-30	
6.14	Time Delays in C	6-15	7.6.2	USART Data Register (UDR)..... 7-31	
6.15	I/O Programming in C	6-16	7.6.3	USART Control Status Registers (UCSRs) 7-31	
6.15.1	Byte Size I/O.....	6-16	7.6.3(a)	USART Control and Status Register n A (UCSRnA) 7-31	
6.15.2	Bit Addressable I/O Programming.....	6-17	7.6.3(b)	USART Control and Status Register B (UCSRB) 7-32	
6.16	Data Conversion Programs in C.....	6-17			
6.16.1	Packed, Unpacked BCD - ASCII Conversion	6-17			



7.6.3(c) UCSRC : USART Control and Status Register C.....	7-33	8.3.5 Interfacing LCD Module with ATmega 328P Microcontroller	8-10
7.7 Programming the AVR ATmega 32 to Transfer Data Serially.....	7-34	8.3.6 LCD using Arduino Development Environment	8-10
7.8 Programming the AVR to Receive Data Serially	7-36	8.4 Interfacing GLCD	8-15
7.9 Serial Peripheral Interface (SPI).....	7-38	8.4.1 Display Control Instruction for KS0108	8-17
7.9.1 SPI Control Register (SPCR).....	7-40	8.5 Interfacing DAC 0808 with ATmega328P Microcontroller	8-18
7.9.2 SPI Status Register (SPSR)	7-41	8.5.1 Features of DAC 0808	8-18
7.9.3 SPI Data Register (SPDR).....	7-41	8.5.2 Pin Configuration and Functional Block Diagram	8-18
7.10 I2C or Two Wire Serial Interface (TWI)	7-43	8.6 ATmega328P ADC Features and Programming	8-24
7.10.1 I2C or TWI operation	7-44	8.6.1 Block Diagram of ADC of ATmega 328P	8-24
7.10.2 Block diagram of TWI unit of AVR	7-45	8.6.2 ADC Registers	8-26
7.10.3 TWBR (TWI Bit rate Register).....	7-47	8.6.3 A/D Converter Programming using Polling.....	8-30
7.10.4 TWCR (TWI Control Register)	7-47	8.7 Temperature Sensor LM35	8-31
7.10.5 TWSR (TWI Status Register).....	7-48	8.8 Interfacing Relays	8-34
7.10.6 TWDR (TWI Data Register).....	7-48	8.8.1 Solid State Relay	8-34
7.10.7 TWAR (TWI Address Register).....	7-48	8.9 Opto-Isolator	8-35
7.10.8 TWAMR (TWI Address Mask Register)	7-48	8.10 Interfacing Button, LED, Relay and Buzzer to AVR Microcontroller	8-35
7.10.9 TWI programming.....	7-48	8.11 Stepper Motor	8-37
Chapter 8 : Device Interfacing and its Programming			
8-1 to 8-61			
8.1 Interfacing of Switches.....	8-1	8.11.1 Interfacing of Stepper Motor with AVR Microcontroller	8-38
8.2 Keypad / Keyboard	8-1	8.12 Input capture and wave generation	8-39
8.2.1 Keyboard Interface Circuit.....	8-2	8.12.1 Wave Generation using Timer 0	8-40
8.2.2 Matrix Keyboard Interface	8-3	8.12.2 Generating Square Wave using Timer 0 in Normal Mode	8-42
8.3 Interfacing Liquid Crystal Display (LCD) to AVR	8-8	8.13 Input Capture Programming.....	8-43
8.3.1 LCD Pin Description.....	8-8	8.13.1 Steps to Program Input Capture Function	8-44
8.3.2 Cursor Addresses for LCDs	8-9	8.14 Concept of Pulse Width Modulation	8-45
8.3.3 LCD Command Codes	8-9		
8.3.4 Initialization of LCD	8-9		



8.15	DC Motor Control	8-46	8.17.4	Time, Calendar and Alarm Locations	8-52
8.15.1	Unidirectional Control.....	8-46	8.17.5	Interrupts	8-53
8.15.2	Bidirectional Control	8-46	8.17.6	Interfacing DS1307 with ATmega328P	8-55
8.16	Interfacing DC Motor using L293 H-Bridge.....	8-47	8.17.7	Writing to the DS1307.....	8-56
8.17	Real Time Clock DS12887.....	8-49	8.17.8	Reading from DS1307	8-56
8.17.1	Features of DS12887	8-49	8.17.9	Programming DS1307 to Set the Time and Date	8-56
8.17.2	Pin Descriptions.....	8-50	● Lab Manual L-32		
8.17.3	Address Map.....	8-52			





Lab Manual

Experiment No.	Name of the Experiment	Page No.
1.	Overview of Embedded System Architecture.	L-1
2.	Introduction to Arduino.	L-3
3.	Introduction to Arduino IDE.	L-3
4.	Programming Concepts.	L-9
5.	Digital Input and Output.	L-14
6.	Interfacing of Switches.	L-16
7.	Interfacing Matrix Keypad.	L-17
8.	Analog Input Pins.	L-20
9.	Programming Arduino Timer.	L-20
10.	LCD Interfacing using Arduino.	L-23
11.	Programming ADC using Arduino IDE.	L-25
12.	Interfacing of Temperature Sensor LM35D with Arduino and Displaying output on LCD.	L-26
13.	Interfacing DC Motor using L293 H-Bridge.	L-28
14.	DC Motor Speed Control using PWM.	L-30
15.	Write program to rotate stepper motor in half step and full step mode in assembly as well as c language.	L-32
16.	Observe waveform of I2C and SPI communication and understand I2C and SPI protocol.	L-32